

### Constructon of a tank near Veerapura Village in Hubli Talk

627. Sri F. S. PATIL (Kalghatgi).—

Will the Chief Minister be pleased to state :—

(a) whether it has come to their notice that survey work in connetion with the construction of a tank near Veerapura village in Hubli Taluk was done since many years ;

(b) whether any representations have been received by them from the public of Kalghatgi Taluk for the construction of the above said tank ;

(c) when the first survey work was commenced ;

(d) the number of times survey work in respect of the said tank was done till the end of 1968 ;

(e) the exent of irrigable area estimated each time the survey was conducted ; (yearwise information may please be furnished) ;

(f) whether the survey work of the said tank has been completed and plans and estimates prepared ;

(g) the estimated cost of constructing the said tank and the extent of land that will be irrigated by the same ;

(h) whether the work of the said project will be started this year itself or included at least in the Fourth Five Year Plan ?

Sri D. PARAMESWARAPPA (Deputy Minister for Major Irrigation and Electricity) [On behalf of SRI VEERENDRA PATIL (Chief Minister)].—

(a) Yes.

(b) Yes.

(c) During 1964.

(d) Only once.

(e) The Scheme has not yet been finalised.

(f) No.

(g) Does not arise in view of above.

(h) Does not arise in view of above.

ಶ್ರೀ ಎಫ್. ಎಸ್. ಪಾಟೀಲ್.—ಇದೇ ಪ್ರಶ್ನೆಯನ್ನು 1967ರಲ್ಲಿ ಕೇಳಿದ್ದೆ, ಆಗಲೂ ಮುಖ್ಯ ಮಂತ್ರಿಗಳು ಫೈನಲ್‌ನಲ್ಲಿ ಅಗಲಿವೆಂದು ಉತ್ತರ ಕೊಟ್ಟಿದ್ದರು, ಈಗಲೂ ಅದೇ ಉತ್ತರ ಕೊಡಲಾಗಿದೆ. 1967ರಿಂದ 1969ರವರೆಗೆ ಫೈನಲ್‌ನಲ್ಲಿ ಮಾಡಿರುವುದಕ್ಕೆ ಕಾರಣವೇನು ?

ಶ್ರೀ ಡಿ. ಪರಮೇಶ್ವರಪ್ಪ.—ಡೀಪ್ಟಿಂಗ್ ಇನ್‌ವೆಸ್ಟಿಗೇಷನ್ ಇನ್ಸ್‌ಟಿಟ್ಯೂಟ್ ಮುಗಿದಿಲ್ಲ. ಮೀಡಿಯಂ ಪ್ರಾಜೆಕ್ಟ್ ಎಂದು ಪ್ಲಾನ್, ಎಸ್ಟಿಮೇಟ್ ಮಾಡಿತ್ತು ನಂತರ ಮೈಸೂರು ಇರಿಗೇಷನ್‌ನಲ್ಲಿ ಇದನ್ನು ತೆಗೆದುಕೊಳ್ಳಬೇಕೆಂದು ಡೀಪ್ ಇಂಜಿನಿಯರ್ ಜನರಲ್—ಟೆಕ್ನಿಕಲ್‌ರವರಿಗೆ ಅಭಿಪ್ರಾಯವನ್ನು ಕಳಿಸಿತ್ತು. ಪ್ಲಾನ್ ಮತ್ತು ಎಸ್ಟಿಮೇಟ್ ಫೈನಲ್‌ನಲ್ಲಿ ಆದಮೇರೆ ಇದರ ಬಗ್ಗೆ ವಿಚಾರ ಮಾಡಲಾಗುವುದು.

ಶ್ರೀ ಸಿದ್ದಯ್ಯ ಕಾಶೀಮಠ.—ಈ ಕೆರೆಯಿಂದ ಸುಮಾರು 5—6 ಸಾವಿರ ಎಕರೆ ಜಮೀನಿಗೆ ನೀರೊದಗುವುದರಿಂದ ಇದರ ಕೆಲಸವನ್ನು ಕೂಡಲೇ ಈ ವರ್ಷವೇ ತೆಗೆದುಕೊಳ್ಳುವುದಕ್ಕೆ ಪ್ರಯತ್ನ ಮಾಡುತ್ತೀರಾ ?

Sri D. PARAMESWARAPPA.—Sir, according to the technical opinion it is not 5,000 acres, but only 3,285 acres of land that is going to be irrigated.

### Settlement of the Bills of Contractors entrusted with the work of Thimmanayakanahalli Tank

674. SRI GANGA BOVI (Gulur).—

Will the Minister of State for Minor Irrigation be pleased to state:—

(a) the reasons for non-payment of final bills to the Contractors of Thimmanayakanahalli new tank of Kolala Hobli in Koratagere Taluk even though the work of the said tank was completed about 6 years ago and whether the amount due to them will be paid adding interest to the said amount;

(b) the action that will be taken against the officers responsible for the delay?

Smt. BASAVARAJESWARI (Deputy Minister for Social Welfare) [On behalf of SRI A. J. DODDAMETI (Minister of State for Minor Irrigation)].—

(a) The final bills of the contractors have been settled in February 1968.

(b) Does not arise in view of reply to clause (a) above.

ಶ್ರೀ ಗಂಗಾಬೋವಿ.—ಕೊರಟಗೇರಿ ತಾಲ್ಲೂಕು ಕೋಳಾಲ ಹೋಬಳಿ ತಿಮ್ಮನಾಯಕನಹಳ್ಳಿ ಹೊಸಕೆರೆ ಕೆಲಸ ಮುಗಿದು ಸುಮಾರು 6 ವರ್ಷಗಳಾದರೂ ಕಂಟ್ರಾಕ್ಟರ್‌ಗಳಿಗೆ ಇದುವರೆವಿಗೂ ಫೈನಲ್ ಬಿಲ್ ಕೊಟ್ಟಿಲ್ಲ, ಕಂಟ್ರಾಕ್ಟರ್‌ಗಳ ಹೆಸರೇನು?

† ಶ್ರೀಮತಿ ಬಸವರಾಜೇಶ್ವರಿ.—ಫೈನಲ್ ಬಿಲ್ ಕೊಡಲಾಗಿದೆ. ಅಧ್ಯಕ್ಷರು ಅವರಿಗೆ ಕೊಟ್ಟರೆ ಹೆಸರು ಬೇಕಾದರೆ ಹೇಳುತ್ತೇನೆ. ಮುದ್ದುರಂಗಯ್ಯ, ತಾಂನೇಶಯ್ಯ, ರತ್ನಯ್ಯ, ಸಯದ್ ಉಮರ್, ಲಕ್ಷ್ಮೀನರಸಿಂಹಯ್ಯ, ಅಬ್ದುಲ್ ಅಜೀಜ್.

ಶ್ರೀ ಗಂಗಾಬೋವಿ.—ಅಷ್ಟು ಹಣ ಕೊಡಬೇಕಾಗಿದೆ ಎಂದು ತಪಶೀಲು ಹೇಳುತ್ತೀರಾ?

ಶ್ರೀಮತಿ ಬಸವರಾಜೇಶ್ವರಿ.—ಫೈನಲ್ ಬಿಲ್ಲುಗಳು ಪಾವತಿಯಾಗಿವೆ. ಸೇಕಡ 5 ರಷ್ಟು ಡಿಪಾಜಿಟ್ ಇಟ್ಟುಕೊಂಡಿರುವುದು ಮಾತ್ರ ನಮ್ಮಲ್ಲಿದೆ.

ಶ್ರೀ ಗಂಗಾಬೋವಿ.—ಫೈನಲ್ ಬಿಲ್ಲನ್ನು ಕೊಟ್ಟಮೇಲೆ ಸೇಕಡ 5 ರಷ್ಟು ಸರಕಾರದಲ್ಲಿದೆ ಎಂದು ಹೇಳುವುದರ ಅರ್ಥವೇನು?

ಶ್ರೀಮತಿ ಬಸವರಾಜೇಶ್ವರಿ.—ಫುನ: ರಿವೈಜ್ಡ್ ಎಸ್ಟಿಮೇಟ್ ಆಗಿದೆ. ಅದನ್ನು ಅಪ್ರೋವ್ ಮಾಡುವವರೆಗೆ ಡಿಪಾಜಿಟ್‌ನ್ನು ಹಿಡಿದುಕೊಳ್ಳಲಾಗಿದೆ.

ಶ್ರೀ ಗಂಗಾಬೋವಿ.—ಕೆಲಸವಾಗಿ 6 ವರ್ಷವಾದರೂ ರಿವೈಜ್ಡ್ ಎಸ್ಟಿಮೇಟ್ ಆಗಿರುವುದರಿಂದ ಸೇಕಡ 5 ರಷ್ಟು ಡಿಪಾಜಿಟ್ ಹಿಡಿದುಕೊಂಡಿದೆ ಎಂದು ಹೇಳುವುದು ಸತ್ಯಕ್ಕೆ ದೂರವಾದುದು. ಅದುದರಿಂದ ಸಂಬಂಧಪಟ್ಟ ಆಫೀಸರರ ಮೇಲೆ ಕ್ರಮ ತೆಗೆದುಕೊಳ್ಳುತ್ತೀರಾ?

ಶ್ರೀಮತಿ ಬಸವರಾಜೇಶ್ವರಿ.—ಇದರಲ್ಲಿ ಸತ್ಯಕ್ಕೆ ದೂರವಾದ ಅಂಶವೇನೂ ಇಲ್ಲ. ಈಗಾಗಲೇ ಫೈನಲ್ ಬಿಲ್ ಕೊಟ್ಟು ರಿವೈಜ್ಡ್ ಎಸ್ಟಿಮೇಟ್ ಮಾಡಿದೆ. ಚೀಫ್ ಎಂಜಿನಿಯರು ಎಸ್ಟಿಮೇಟನ್ನು ಸ್ಯಾಂಕ್ಷನ್ ಮಾಡಿದಮೇಲೆ 5 ಪರ್ಸೆಂಟ್ ಇರುವುದನ್ನು ಕೊಡಲಾಗುವುದು.